

**ADDENDUM NO. 1**

Delaware County Regional Sewer District  
Biosolids Hauling and Disposal Services  
Request for Proposals  
February 8, 2021

**ADDENDUM INSTRUCTIONS**

Contractors submitting Proposals for the above-named Project shall take note of the following changes, additions, deletions, clarifications, etc. in the Contract Documents, which shall become a part of and have precedence over anything contrarily shown or described in the Contract Documents, and all such shall be taken into consideration and be included in the Contractor's Proposal. Where changes, additions, deletions, clarifications, etc. are made to portions of an article, paragraph, or subparagraph, the unaltered provisions of that article, paragraph, subparagraph, or clause shall remain in effect.

**RECEIPT OF THIS ADDENDUM MUST BE ACKNOWLEDGED BY ENTRY OF THE ADDENDUM NUMBER IN THE REQUISITE SPACE ON THE PROPOSAL FORM. FAILURE OF A FIRM TO ACKNOWLEDGE THIS ADDENDUM MAY CAUSE THE PROPOSAL TO BE REJECTED AS INCOMPLETE.**

**ADDENDUM TABLE OF CONTENTS**

Changes to Biosolids Request for Proposal (Total 1 Page)

## **CHANGES TO CMAR REQUEST FOR PROPOSAL**

1. Section 5.2 – Management and Organization
  - A. The final paragraph of this section is revised as follows to allow for sub-contractors to perform primary services per proposal:
    - The Offeror must include the relationships with all sub-contractors, with a clear indication of the roles and responsibilities of all parties providing materials or support services. Nevertheless, Delaware County will award the contract to one or more primary contractors, ~~and subcontracting for the primary services is not permitted.~~

## **CLARIFICATION TO REQUEST FOR PROPOSAL**

- **County is not interested in land application disposal for this contract**
- **Section 5.10 - Proposal Bond requirement:**
  - Each Offeror submitting a Proposal in response to this RFP shall also submit a bond or certified check, cashier's check, or money order on a solvent bank or savings and loan association in the amount of Five Hundred Dollars (\$500.00), conditioned that the Offeror, if the Offeror's proposal is accepted, shall execute a contract in conformity to the RFP.
- Requested pricing from previous biosolids bid:
  - Attached

# BID FORM

## PROCESSING / DISPOSAL OF WASTEWATER PLANT BIOSOLIDS

Note: Cross-reference the pricing below with the plan(s) presented in your proposal. Use multiple bid forms if more than one plan is proposed.

**PROPOSAL PLAN DESCRIPTION:** Processing Fees Only

### ALUM CREEK WATER RECLAMATION FACILITY

TERM	WET TONS / WEEK (estimate)	DISPOSAL RATE/TON (bid)	ANNUAL COST (estimate)
06/01/17 - 09/28/18	0	\$ 27.50	\$ 0
9/29/18 - 12/31/19	183	\$ 27.50	\$ 261,690
2020	189	\$ 28.19	\$ 277,051.32
2021	195	\$ 28.89	\$ 292,944.60
2022	201	\$ 29.61	\$ 309,483.72

### OLENTANGY ENVIRONMENTAL CONTROL CENTER

YEAR	WET TONS / WEEK (estimate)	DISPOSAL RATE/TON (bid)	ANNUAL COST (estimate)
06/01/17 - 09/28/18	40	\$ 27.50	\$ 57,200
9/29/18 - 12/31/19	52	\$ 27.50	\$ 74,360
2020	53	\$ 28.19	\$ 77,691.64
2021	54	\$ 28.89	\$ 81,123.12
2022	55	\$ 29.61	\$ 84,684.60

### LOWER SCIOTO WATER RECLAMATION FACILITY

YEAR	WET TONS / WEEK (estimate)	DISPOSAL RATE/TON (bid)	ANNUAL COST (estimate)
06/01/17 - 09/28/18	0	\$ 27.50	\$ 0
9/29/18 - 12/31/19	12.0	\$ 27.50	\$ 17,160
2020	12.3	\$ 28.19	\$ 18,030.24
2021	12.6	\$ 28.89	\$ 18,928.73
2022	12.9	\$ 29.61	\$ 19,862.39

# BID FORM

## PROCESSING / DISPOSAL OF WASTEWATER PLANT BIOSOLIDS

Note: Cross-reference the pricing below with the plan(s) presented in your proposal. Use multiple bid forms if more than one plan is proposed.

**PROPOSAL PLAN DESCRIPTION:** Processing Fees with Freight

### ALUM CREEK WATER RECLAMATION FACILITY

TERM	WET TONS / WEEK (estimate)	DISPOSAL RATE/TON (bid)	ANNUAL COST (estimate)
06/01/17 - 09/28/18	0	\$ 38.50	\$ 0
9/29/18 - 12/31/19	183	\$ 38.50	\$ 366,366
2020	189	\$ 39.46	\$ 387,812.88
2021	195	\$ 40.45	\$ 410,163
2022	201	\$ 41.46	\$ 433,339.92

### OLENTANGY ENVIRONMENTAL CONTROL CENTER

YEAR	WET TONS / WEEK (estimate)	DISPOSAL RATE/TON (bid)	ANNUAL COST (estimate)
06/01/17 - 09/28/18	40	\$ 27.50*	\$ 57,200
9/29/18 - 12/31/19	52	\$ 38.50	\$ 104,104
2020	53	\$ 39.46	\$ 108,751.76
2021	54	\$ 40.45	\$ 113,583.60
2022	55	\$ 41.46	\$ 118,575.60

### LOWER SCIOTO WATER RECLAMATION FACILITY

YEAR	WET TONS / WEEK (estimate)	DISPOSAL RATE/TON (bid)	ANNUAL COST (estimate)
06/01/17 - 09/28/18	0	\$ 38.50	\$ 0
9/29/18 - 12/31/19	12.0	\$ 38.50	\$ 24,024
2020	12.3	\$ 39.46	\$ 25,238.62
2021	12.6	\$ 40.45	\$ 26,502.84
2022	12.9	\$ 41.46	\$ 27,811.37

\*Able to process but not able to transport. Freight offered beginning 9/29/18.

# BID FORM

## PROCESSING / DISPOSAL OF WASTEWATER PLANT BIOSOLIDS

Note: Cross-reference the pricing below with the plan(s) presented in your proposal. Use multiple bid forms if more than one plan is proposed.

**PROPOSAL PLAN DESCRIPTION:** Leasing Property Adjacent to LSWRF – Tree Farm

### ALUM CREEK WATER RECLAMATION FACILITY

TERM	WET TONS / WEEK (estimate)	DISPOSAL RATE/TON (bid)	ANNUAL COST (estimate)
06/01/17 - 09/28/18	0	\$ _____	\$ _____
9/29/18 - 12/31/19	183	\$ _____	\$ _____
2020	189	\$ _____	\$ _____
2021	195	\$ _____	\$ _____
2022	201	\$ _____	\$ _____

### OLENTANGY ENVIRONMENTAL CONTROL CENTER

YEAR	WET TONS / WEEK (estimate)	DISPOSAL RATE/TON (bid)	ANNUAL COST (estimate)
06/01/17 - 09/28/18	40	\$ _____	\$ _____
9/29/18 - 12/31/19	52	\$ _____	\$ _____
2020	53	\$ _____	\$ _____
2021	54	\$ _____	\$ _____
2022	55	\$ _____	\$ _____

### LOWER SCIOTO WATER RECLAMATION FACILITY

YEAR	WET TONS / WEEK (estimate)	DISPOSAL RATE/TON (bid)	ANNUAL COST (estimate)
06/01/17 - 09/28/18	0	\$ _____	\$ _____
9/29/18 - 12/31/19	12.0	\$ _____	\$ _____
2020	12.3	\$ _____	\$ _____
2021	12.6	\$ _____	\$ _____
2022	12.9	\$ _____	\$ _____

# BID FORM

## PROCESSING / DISPOSAL OF WASTEWATER PLANT BIOSOLIDS

Note: Cross-reference the pricing below with the plan(s) presented in your proposal. Use multiple bid forms if more than one plan is proposed.

**PROPOSAL PLAN DESCRIPTION:** Leasing Property at 4981 County Home Road – Tree Farm

### ALUM CREEK WATER RECLAMATION FACILITY

TERM	WET TONS / WEEK (estimate)	DISPOSAL RATE/TON (bid)	ANNUAL COST (estimate)
06/01/17 - 09/28/18	0	\$ _____	\$ _____
9/29/18 - 12/31/19	183	\$ _____	\$ _____
2020	189	\$ _____	\$ _____
2021	195	\$ _____	\$ _____
2022	201	\$ _____	\$ _____

### OLENTANGY ENVIRONMENTAL CONTROL CENTER

YEAR	WET TONS / WEEK (estimate)	DISPOSAL RATE/TON (bid)	ANNUAL COST (estimate)
06/01/17 - 09/28/18	40	\$ _____	\$ _____
9/29/18 - 12/31/19	52	\$ _____	\$ _____
2020	53	\$ _____	\$ _____
2021	54	\$ _____	\$ _____
2022	55	\$ _____	\$ _____

### LOWER SCIOTO WATER RECLAMATION FACILITY

YEAR	WET TONS / WEEK (estimate)	DISPOSAL RATE/TON (bid)	ANNUAL COST (estimate)
06/01/17 - 09/28/18	0	\$ _____	\$ _____
9/29/18 - 12/31/19	12.0	\$ _____	\$ _____
2020	12.3	\$ _____	\$ _____
2021	12.6	\$ _____	\$ _____
2022	12.9	\$ _____	\$ _____

# BID FORM

## PROCESSING / DISPOSAL OF WASTEWATER PLANT BIOSOLIDS

Note: Cross-reference the pricing below with the plan(s) presented in your proposal. Use multiple bid forms if more than one plan is proposed.

**PROPOSAL PLAN DESCRIPTION:** Biosolids Disposal and Beneficial Re-Use at quasar energy group's Columbus plant

### ALUM CREEK WATER RECLAMATION FACILITY

TERM	WET TONS / WEEK (estimate)	DISPOSAL RATE/TON (bid)	ANNUAL COST (estimate)
06/01/17 - 09/28/18	0	\$ 29.50	\$ 0.00
9/29/18 - 12/31/19	183	\$ 29.50	\$ 280,722.00
2020	189	\$ 30.39	\$ 298,672.92
2021	195	\$ 31.30	\$ 317,382.00
2022	201	\$ 32.24	\$ 336,972.48

### OLENTANGY ENVIRONMENTAL CONTROL CENTER

YEAR	WET TONS / WEEK (estimate)	DISPOSAL RATE/TON (bid)	ANNUAL COST (estimate)
06/01/17 - 09/28/18	40	\$ 29.50	\$ 61,360.00
9/29/18 - 12/31/19	52	\$ 29.50	\$ 79,768.00
2020	53	\$ 30.39	\$ 83,754.84
2021	54	\$ 31.30	\$ 87,890.40
2022	55	\$ 32.24	\$ 92,206.40

### LOWER SCIOTO WATER RECLAMATION FACILITY

YEAR	WET TONS / WEEK (estimate)	DISPOSAL RATE/TON (bid)	ANNUAL COST (estimate)
06/01/17 - 09/28/18	0	\$ 29.50	\$ 0.00
9/29/18 - 12/31/19	12.0	\$ 29.50	\$ 18,408.00
2020	12.3	\$ 30.39	\$ 19,437.44
2021	12.6	\$ 31.30	\$ 20,507.76
2022	12.9	\$ 32.24	\$ 21,626.59

Primary Plant of Disposal:  
 Central Ohio BioEnergy  
 2506 Jackson Pike  
 Columbus, OH 43223